Wireflow




0299


Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with eight LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

Finish



04 Black **RAL 9005**

LED temperature color

2700 K / 3000 K / 3500 K

Push; 1-10V; DALI-2 / Casambi

Instalation type

Surface Canopy

Materials

Dimming

Ceiling rose: Steel Body: Aluminum Horizontal rods: Steel

Light source

8 x LED 4,48W 350mA

D

LED

CRI>90 3922 lm 109 2700 K / 3000 K / 3500 K

Driver

Constant Current 350 110~240 V V 50~60 Hz HZ

↓ F Dimmable LED

IP20 Bi-volt 50-60Hz

Hanging lamps

Application Packaging

2 Box 1.633 m x 1.619 m x 0.086 m Gross weigth 18.2

Net weigth 15.27 Vol. 0.3245


Lighting effect


Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



Photometric Data






Efficiency Coordinate System **Total Flux** Maximum Value

40.11% CG 3922.20 53.86

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty