# Wireflow




### 0309


Design By Arik Levy

Wireflow designed by Arik Levy. A hanging lamp which reviews and updates the chandelier look through an exercise of simplification that explores its essence and enhances its outline with great delicacy and at the same time a strong formal presence. Its appearance, as a structure of fine cables finished with eight LED terminals, discretely connects with classic chandelier models, taking this type of lamp to a new, groundbreaking and futuristic dimension. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

## Model Sheet







Optional: Extra cable length Min. quantity, upcharge and extra lead time apply [EN]

# Finish O4 Black RAL 9005

 LED temperature color
 2700 K / 3000 K / 3500 K

Instalation type

Dimming Casambi / Push; 1-10V; DALI-2

	.,	
Materials	Ceiling rose: Steel	
	Body: Aluminum	
	Horizontal rods: Steel	
Light source	4 x LED 4,48W 350mA	

Surface Canopy

D CRI>90 1961 lm 108 2700 K / 3500 K

**Driver** Constant Current 350 110~240 V V 50~60 Hz HZ

Dimmable LED

[IP20] Bi-volt 50-60Hz

Application Hanging lamps

**Packaging** 

2 Box 1.158 m x 1.133 m x 0.086 m Gross weigth 10.4 Net weigth 8.86

Vol. 0.1569


### Lighting effect


### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface




#### Photometric Data





Efficiency 40.11%
Coordinate System CG
Total Flux 1961
Maximum Value 53.86

Other Applications



All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty