# Wireflow free-form



## 0348

Design By Arik Levy

Wireflow designed by Arik Levy. Hanging lap. Configure hanging light installations from an electrical connection point on the wall with a plug to facilitate installation. With Wireflow you can outline different geometrical shapes on walls or ceilings to create murals with a stunning graphic visual effect. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements.

### Model Sheet







Optional : Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]

# Finish O4 Black RAL 9005 LED temperature color

Push

Instalation type Surface Canopy

Dimming

Materials

Ceiling rose: Steel
Body: Aluminum
Rods: Steel
Base: Steel

Light source 1 x LED 4,5W 700mA

LED CRI>80 490 lm 109 2700 K / 3000 K

Driver Constant Current 700 100~240

V V 50~60 Hz HZ

Remarks Plug-in Dimmer switch

Switch on the wall plate

Dimmable LED

[P20] [Bi-volt] [50-60Hz] PUSH

Application Hanging lamps

Packaging 1 Box

0.26 m x 0.26 m x 0.26 m Gross weigth 1.9 Net weigth 1.71 Vol. 0.0175


### Lighting effect


### Volumetric Diffuser

Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data





Efficiency 40.10%
Coordinate System CG
Total Flux 490.30
Maximum Value 53.85

Other Applications

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty