# Wireflow free-form



### 0361

Design By Arik Levy

Wireflow designed by Arik Levy. Hanging lap. The elegant structure of fine cables and LED terminal by Wireflow allows the combination of multiple individual pieces to carry out major graphic lighting installations which generate a visual opportunity of lines and points of light and bring a markedly conceptual character to an intangible product. Employing CREA product configurator software, the design can be modified to adapt to your specific project requirements. The electrical connection point can be positioned on the ceiling or wall

## Model Sheet







Optional : Extra cable length
Min. quantity, upcharge and extra lead time
apply [EN]

# 04 Black Finish RAL 9005

LED temperature color

2700 K / 3000 K / 3500 K

NO DRIVER / Casambi / DALI-2 Dimming

/ Push; 1-10V

Remote Micro / Surface Canopy / Instalation type Built-in XS / Surface Free Wire

Ceiling rose: Steel Materials Body: Aluminum

Rods: Steel

1x LED 4,5W 700mA Light source

CRI>90 490 lm 109 LED 2700 K / 3000 K / 3500 K

Constant Current 700 110~240 Driver

V V 50~60 Hz HZ

[P20] Bi-volt 50-60Hz

Application Hanging lamps

Packaging

0.26 m x 0.26 m x 0.26 m Gross weigth 2.6 Net weigth 2.34 Vol. 0.0175


### Lighting effect


#### Hidden Diffuser

Subtly directed diffused light that generates a soft hierarchy of light on to the illuminated surface



### Photometric Data





46.23% Efficiency CG Coordinate System 490.30 **Total Flux** 320.25 Maximum Value

Other Applications

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty