## Palma

## $\vee$ | ] | $\wedge$

## 3720

Design By Antoni Arola


Vibia presents a pendant lamp. It includes two sizes of hand blown glass sphere joined together by a strap and aluminum structures. The intensity of the LED light source is dimmable.

## Model Sheet




Finish	18 Graphite ADAPTA RF 9913 WX	Lighting effect Volumetric Diffuse
LED temperature color	2700 K	Subtly directed, dif hierarchy of light of
Dimming	Casambi / DALI / Push; 1-10V	0
Instalation type	Surface Canopy	Photometric Data
Materials	Profile: Aluminum Diffuser: Blown-glass	135' Árgulos Gamma
Light source	2 x LED 4,6W 500mA	130'
LED	CRI>90 2700 K	00° 75'
Driver	Constant Current 500 110~240 V V 50~60 Hz HZ	60
	(JP20) Bi-volt Dry Location (50-60Hz)	45 30 15
Application	Hanging lamps	
Packaging	1 Box 0.33 m x 0.31 m x 0.45 m Gross weigth 3.99 Net weigth 2.83 Vol. 0.046	
		Efficiency Coordinate Systen Total Flux Maximum Value
		Other Applications

er iffused light that generates a soft on to the illuminated surface



576.51 lm 67.81 cd/klm



**Optional : Extra cable length** Min. quantity, upcharge and extra lead time apply [EN]

ø 25 cm

ø 22 cm

max. 200 cm

Scm

l9 cm  $\square$ 

All of our products come with a five-year warranty. Check our legal terms at www.vibia.com/warranty

Vibia Lighting, S.L.U.

Office / Oficina Progrés 4-6. 08850 Gavà. Barcelona, Spain. International T+34 934 796 971 Spain / Portugal T +34 934 796 970 customer.service@vibia.com vibia.com