

## ARRAY PENDANT LARGE

### FINISH

bronze with bronze details and shiny opal glass  
bronze with satin brass details and shiny opal glass

### DIMENSIONS (body of fixture)

2700 x 2700 x 1100 mm (w x d x h)

### WEIGHT

18kg (39.7lbs)  
please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1100 mm  
please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

### ILLUMINATION

220-240v - 11 x G9 - 25w (or 2.5w 2700k)  
110-130v - 11 x G9 - 25w (or 2.5w 2700k)

### DIMMING

dimmable bulb required  
trailing edge dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  150 x 40 mm (dia x h)




### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## ARRAY PENDANT LARGE - DALI-A

### FINISH

bronze with bronze details and shiny opal glass  
bronze with satin brass details and shiny opal glass

### DIMENSIONS (body of fixture)

2700 x 2700 x 1100 mm (w x d x h)

### WEIGHT

18kg (39.7lbs)  
please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 1100 mm  
please specify the required overall drop from the ceiling to the bottom of the fitting (not adjustable on site)

### ILLUMINATION

220-240v - 11 x G9 - 25w (or 2.5w 2700k)  
DALI converter to be installed in the ceiling rose

### DIMMING

dimnable bulb required  
DALI compatible

### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  150 x 40 mm (dia x h)




### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## ARRAY PENDANT LARGE - EXTENSION KIT

### FINISH

bronze with bronze details  
bronze with satin brass details

### DIMENSIONS (length of the extension)

1000 mm

### OVERALL DROP

standard size 1000 mm  
minimum recommended 300 mm  
please specify the required overall drop from the ceiling to  
the bottom of the fitting (not adjustable on site)

### CERTIFICATION



### VIEW ON WEBSITE



150mm (5.9)



1000mm (39.3)



\*Diagrams are not to scale.

## ARRAY PENDANT LARGE

### ARRAY PENDANT LARGE

| SKU NUMBER       | FINISH DESCRIPTION                                   | VOLTAGE    |
|------------------|--|------------|
| ARRPELBZBZOG-240 | bronze with bronze details and shiny opal glass      | 220 - 240V |
| ARRPELBZSBOG-240 | bronze with satin brass details and shiny opal glass | 220 - 240V |
| ARRPELBZBZOG-110 | bronze with bronze details and shiny opal glass      | 110 - 130v |
| ARRPELBZSBOG-110 | bronze with satin brass details and shiny opal glass | 110 - 130v |

### ARRAY PENDANT LARGE - DALI-A

| SKU NUMBER             | FINISH DESCRIPTION                                   | TYPE OF DALI   | VOLTAGE    |
|------------------------|--|--|------------|
| ARRPELBZBZOG-DALIA-240 | bronze with bronze details and shiny opal glass      | DALI A included - For lights that do not require aesthetic alterations. DALI can be fitted on the existent ceiling/wall rose | 220 - 240V |
| ARRPELBZSBOG-DALIA-240 | bronze with satin brass details and shiny opal glass | DALI A included - For lights that do not require aesthetic alterations. DALI can be fitted on the existent ceiling/wall rose | 220 - 240V |

### ARRAY PENDANT LARGE - EXTENSION KIT

| SKU NUMBER     | FINISH DESCRIPTION              | VOLTAGE    |
|----------------|---------------------------------|------------|
| ACCGENEXOLBZBZ | bronze with bronze details      | 220 - 240V |
| ACCGENEXOLBZSB | bronze with satin brass details | 220 - 240V |