

AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)
ø 1010 x 70 mm (dia x h)
ø 1300 x 70 mm (dia x h)

WEIGHT

95kg (209.4lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 995 mm
maximum on request 5080 mm
supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w + 67W + 89w - 2700k
110-130v - integrated LED - 38w + 67W + 89w - 2700k
3 x LED drivers to be installed in the ceiling cavity
drivers must be installed up to 20 meters from the body of the light

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)
0/1-10v (220-240v or 110-130v) - on request



CEILING ROSE / PLATE

round ceiling plate - ø 180 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER TRIPLE CEILING ROSE

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)
ø 1010 x 70 mm (dia x h)
ø 1300 x 70 mm (dia x h)

WEIGHT

96kg (211.6lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1020 mm
maximum on request 5145 mm
supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w + 67W + 89w - 2700k
110-130v - integrated LED - 38w + 67W + 89w - 2700k
3 x LED drivers to be installed in the ceiling rose

DIMMING

trailing dimmable / phase cut (rotary dimmer) - standard
DALI option available (220-240v only)
0/1-10v (220-240v or 110-130v) - on request


CEILING ROSE / PLATE

round ceiling rose - ø 240 x 75 mm (dia x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)
ø 1010 x 70 mm (dia x h)
ø 1300 x 70 mm (dia x h)

WEIGHT

95kg (209.4lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 955 mm
maximum on request 5080 mm
supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w + 67W + 89w - 2700k
3 x DALI LED drivers to be installed in the ceiling cavity
drivers must be installed up to 20 meters from the body of the light

DIMMING

DALI compatible



CEILING ROSE / PLATE

round ceiling plate - ø 180 x 10 mm (dia x h)


CERTIFICATION




VIEW ON WEBSITE



mounting plate dimensions



LED driver dimensions



*Diagrams are not to scale.

AVALON CHANDELIER TRIPLE CEILING ROSE - DALI A

FINISH

bronze with honed alabaster
satin brass with honed alabaster

DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)
ø 1010 x 70 mm (dia x h)
ø 1300 x 70 mm (dia x h)

WEIGHT

96kg (211.6lbs)
please ensure ceiling structure is strong enough to support the weight of the light

OVERALL DROP

minimum 1020 mm
maximum on request 5145 mm
supplied with 9 x 2500mm stainless steel suspension power cables as standard (adjustable on site)

ILLUMINATION

220-240v - integrated LED - 38w + 67w + 89w - 2700k
3 x DALI LED drivers to be installed in the ceiling rose

DIMMING

DALI compatible


CEILING ROSE / PLATE

round ceiling rose - ø 240 x 75 mm (dia x h)

CERTIFICATION



VIEW ON WEBSITE



*Diagrams are not to scale.

AVALON CHANDELIER TRIPLE

AVALON CHANDELIER TRIPLE - CEILING MOUNTING PLATE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACH3BZHA-CM-240	bronze with honed alabaster	220 - 240V
AVACH3SBHA-CM-240	satın brass with honed alabaster	220 - 240V
AVACH3BZHA-CM-110	bronze with honed alabaster	110 - 130V
AVACH3SBHA-CM-110	satın brass with honed alabaster	110 - 130V

AVALON CHANDELIER TRIPLE - CEILING ROSE

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACH3BZHA-CR-240	bronze with honed alabaster	220 - 240V
AVACH3SBHA-CR-240	satın brass with honed alabaster	220 - 240V
AVACH3BZHA-CR-110	bronze with honed alabaster	110 - 130V
AVACH3SBHA-CR-110	satın brass with honed alabaster	110 - 130V

AVALON CHANDELIER TRIPLE - CEILING MOUNTING PLATE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACH3BZHA-CM-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
AVACH3SBHA-CM-DALIA-240	satın brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

AVALON CHANDELIER TRIPLE - CEILING ROSE - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACH3BZHA-CR-DALIA-240	bronze with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
AVACH3SBHA-CR-DALIBA240	satın brass with honed alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V