

TECHNICAL SHEET

1907-10

Mounting: Floor Lamp
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 100-240V 50/60Hz
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Lighting Control: Dimmer on cable



1907-20

Mounting: Suspension
Environment: Indoor - IP20
Materials: Metallo/Metal
Input Current: 700mA
Source: LED 14W - CRI=90
Color Temperature: 3000K / 2700K
Lumen: 1180lm
Cable RAL: 9005



Rosoni / Canopies


1907-90 CANOPY TYPE C

Mounting: a soffitto / ceiling
Environment: Indoor - IP20
Materials: Metallo / Metal
Voltage: 220-240V 50/60Hz
Lighting Control: Dimmable 0-10V




Altura sospensione installabile su Rosone Barra type Y
Altura suspension installable on Bar canopy type Y

1907-10



L212 x Ø40 x H226

1907-20+1907-90



Finiture / Finishes

Struttura / Structure 1907-10



Nero opaco
Matt black

Struttura / Structure 1907-20



Nero opaco
Matt black



Bianco opaco
Matt white



Arancione
Orange



Blu
Blue



Bronzo opaco
Matt bronze

Rosoni / Canopies



Metallo nero opaco
Matt black metal



Metallo oro opaco
Matt gold metal



Bianco opaco
Matt white

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosone singoli, con le piastre multiple o con il rosone barra.

Vale altresì il viceversa: rosone, piastre multiple e rosone barra non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra. Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.

The reverse is also true: rosettes, multiple plates and bar canopies cannot be sold separately from pendants.

All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1907-10-1111-DXNE	floor lamp	nero opaco / matt black		dimmer on cable / 3000K
1907-10-1111-DXWE	floor lamp	nero opaco / matt black		dimmer on cable / 2700K
1907-20-1111-D2NE	suspension	nero opaco / matt black		3000K
1907-20-1111-D2WE	suspension	nero opaco / matt black		2700K
1907-20-1616-D2NE	suspension	bronzo opaco / matt bronze		3000K
1907-20-1616-D2WE	suspension	bronzo opaco / matt bronze		2700K
1907-20-0101-D2NE	suspension	bianco opaco / matt white		3000K
1907-20-0101-D2WE	suspension	bianco opaco / matt white		2700K
1907-20-4242-D2NE	suspension	blu / blue		3000K
1907-20-4242-D2WE	suspension	blu / blue		2700K
1907-20-4343-D2NE	suspension	arancione / orange		3000K
1907-20-4343-D2WE	suspension	arancione / orange		2700K
1907-90-1100-DXLE	canopy type C	nero opaco / matt black		dimnable 0-10V
1907-90-0600-DXLE	canopy type C	oro opaco / matt gold		dimnable 0-10V
1907-90-0100-DXLE	canopy type C	bianco opaco / matt white		dimnable 0-10V

