

## HERON WALL

### FINISH

bronze  
satin brass

### DIMENSIONS (body of fixture)

114 x 145 x 200 mm (w x d x h)

### WEIGHT

2kg (4.4lbs)

### ILLUMINATION

220-240v - 1 x GU10 - 5.5w - 2700k - LED ONLY  
110-130v - 1 x GU10 - 5.5w - 2700k - LED ONLY

### DIMMING

dimnable bulb required  
trailing edge dimmable / phase cut (rotary dimmer) - standard  
DALI option available (220-240v only)


### WALL ROSE / PLATE

round wall plate -  $\varnothing$  114 x 5 mm ( $\varnothing$  x h)



### CERTIFICATION




### VIEW ON WEBSITE




movable head



North America junction box cover



mounting plate dimensions



\*Diagrams are not to scale.

## HERON WALL - DALI-A

### FINISH

bronze  
satin brass

### DIMENSIONS (body of fixture)

114 x 145 x 200 mm (w x d x h)

### WEIGHT

2kg (4.4lbs)

### ILLUMINATION

220-240v - 1 x GU10 - 5.5w - 2700k - LED ONLY  
DALI converter to be installed in the cavity

### DIMMING

dimnable bulb required  
DALI compatible


### WALL ROSE / PLATE

round wall plate -  $\varnothing$  114 x 5 mm ( $\varnothing$  x h)


### CERTIFICATION




### VIEW ON WEBSITE




movable head



mounting plate dimensions



DALI converter dimensions



\*Diagrams are not to scale.

## HERON WALL - DALI-B

### FINISH

bronze  
satin brass

### DIMENSIONS (body of fixture)

114 x 170 x 200 mm (w x d x h)

### WEIGHT

2kg (4.4lbs)

### ILLUMINATION

220-240v - 1 x GU10 - 5.5w - 2700k - LED ONLY  
DALI converter to be installed in the wall rose

### DIMMING

dimnable bulb required  
DALI compatible


### WALL ROSE / PLATE

round wall rose -  $\varnothing$  116 x 25 mm ( $\varnothing$  x h)

### CERTIFICATION



### VIEW ON WEBSITE



\*Diagrams are not to scale.

## HERON WALL

### HERON WALL

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
HERWAOBZ-240	bronze	220 - 240V
HERWAOSB-240	satın brass	220 - 240V
HERWAOBZ-110	bronze	110 - 130V
HERWAOSB-110	satın brass	110 - 130V

### HERON WALL - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
HERWAOBZ-DALIA-240	bronze	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V
HERWAOSB-DALIA-240	satın brass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside the ceiling/wall cavity	220 - 240V

### HERON WALL - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
HERWAOBZ-DALIB-240	bronze	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
HERWAOSB-DALIB-240	satın brass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V