

## IVY 3 PENDANT

### FINISH

bronze with bronze details and shiny opal glass  
 bronze with bronze details and smoked glass  
 bronze with satin brass details and shiny opal glass  
 bronze with satin brass details and smoked glass

### DIMENSIONS (body of fixture)

1330 x 400 x 350 mm (w x d x h)

### WEIGHT

5kg (11lbs)

please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 625 mm

supplied as per specifications – see page 2

### ILLUMINATION

220-240v - 3 x E14 - 25w max (or 4.5w LED 2700k)

110-130v - 3 x E12 - 25w max (or 4.5w LED 2700k)

### DIMMING

dimmable bulb required

trailing edge dimmable / phase cut (rotary dimmer) - standard

DALI option available (220-240v only)


### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)

### CERTIFICATION




### VIEW ON WEBSITE



\*Diagrams are not to scale.

## IVY 3 PENDANT

### DROP ROD CONFIGURATIONS





A (overall drop) mm	B (drop rod length) mm
545	250
595	300*
645	350*
695	400*
795	500*
845	550*
895	600
945	650*
1045	750*
1095	800
1145	850*
1245	950*
1295	1000*
1345	1050*

A (overall drop) inches	B (drop rod length) inches
21.5	10
23.5	12*
25	14*
27	16*
31	19*
33	22*
35	23.5
37	25.5*
41	30*
43	31.5
45	33.5*
49	37.5*
51	39*
53	41*

**Important information:** drop rod length can not be adjusted on site.

\* Certain lengths require multiple drop rod sections to achieve the overall drop of the light (see below).

\*For any light specified with overall drop more than 1480mm in total, the suspension will be consisted of a straight drop rod section and curved section (example below).



## IVY 3 PENDANT - DALI-A

### FINISH

bronze with bronze details and shiny opal glass  
 bronze with bronze details and smoked glass  
 bronze with satin brass details and shiny opal glass  
 bronze with satin brass details and smoked glass

### DIMENSIONS (body of fixture)

1330 x 400 x 350 mm (w x d x h)

### WEIGHT

5kg (11lbs)  
 please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 625 mm  
 supplied as per specifications – see page 2

### ILLUMINATION

220-240v - 3 x E14 - 25w max (or 4.5w LED 2700k)  
 DALI converter to be installed in the ceiling rose

### DIMMING

dimnable bulb required  
 DALI compatible



### CEILING ROSE / PLATE

round ceiling rose -  $\varnothing$  116 x 25 mm (dia x h)


### CERTIFICATION



### VIEW ON WEBSITE



mounting plate dimensions



\*Diagrams are not to scale.

## IVY 3 PENDANT - DALI-B

### FINISH

bronze with bronze details and shiny opal glass  
 bronze with bronze details and smoked glass  
 bronze with satin brass details and shiny opal glass  
 bronze with satin brass details and smoked glass

### DIMENSIONS (body of fixture)

1330 x 400 x 350 mm (w x d x h)

### WEIGHT

5kg (11lbs)  
 please ensure ceiling structure is strong enough to support the weight of the light

### OVERALL DROP

minimum 635 mm  
 supplied as per specifications – see page 2

### ILLUMINATION

220-240v - 3 x E14 - 25w max (or 4.5w LED 2700k)  
 DALI converter to be installed in the ceiling rose

### DIMMING

dimmable bulb required  
 DALI compatible


### CEILING ROSE / PLATE

round ceiling rose - 140 x 35 mm (dia x h)

### CERTIFICATION



### VIEW ON WEBSITE



\*Diagrams are not to scale.

## IVY 3 PENDANT

### IVY 3 PENDANT

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
IVYPE3BZBZOG-240	bronze with bronze details and shiny opal glass	220 - 240V
IVYPE3BZBZSG-240	bronze with bronze details and smoked glass	220 - 240V
IVYPE3BZSBOG-240	bronze with satin brass details and shiny opal glass	220 - 240V
IVYPE3BZSBSG-240	bronze with satin brass details and smoked glass	220 - 240V
IVYPE3BZBZOG-110	bronze with bronze details and shiny opal glass	110 - 130V
IVYPE3BZBZSG-110	bronze with bronze details and smoked glass	110 - 130V
IVYPE3BZSBOG-110	bronze with satin brass details and shiny opal glass	110 - 130V
IVYPE3BZSBSG-110	bronze with satin brass details and smoked glass	110 - 130V

### IVY 3 PENDANT - DALI-A

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
IVYPE3BZBZOG-DALIA-240	bronze with bronze details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
IVYPE3BZBZSG-DALIA-240	bronze with bronze details and smoked glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
IVYPE3BZSBOG-DALIA-240	bronze with satin brass details and shiny opal glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V
IVYPE3BZSBSG-DALIA-240	bronze with satin brass details and smoked glass	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted on the existent ceiling/wall rose	220 - 240V

### IVY 3 PENDANT - DALI-B

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
IVYPE3BZBZOG-DALIB-240	bronze with bronze details and shiny opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
IVYPE3BZBZSG-DALIB-240	bronze with bronze details and smoked glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
IVYPE3BZSBOG-DALIB-240	bronze with satin brass details and shiny opal glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V
IVYPE3BZSBSG-DALIB-240	bronze with satin brass details and smoked glass	DALI B included - The light will feature a deeper ceiling/wall rose. For use when there is no space in the existing ceiling/wall cavity	220 - 240V