

# Place des Vosges 1

## Évolution

Model 6



catalogue 2024 p. 234

ref. 150019000

EAN. 3663660112796

### Technical data

Rated voltage	200 to 240 - 50/60Hz
Input voltage range	230 - 250 V AC
Driver output	-
Alimentation output	-
Class	1
IP	65
IK	-
Diffuser	Clear PMMA
Bulb cover	-
Source	E27
Color temperature real output	-
Real light output	- lm
Energy class	Classe de la lampe (non fournie)
IRC	-
SDCM	-
Optic	-
Dimmable	-
Ta	-
Led lifetime	-
Ambient temperature range	-10 ~50°C
UGR	-
ULR	-
THDI	-
Fixing kit	Yes
With sensor	No
With IP55 socket	No

[Download the installation manual](#)



# Place des Vosges 1

## Évolution

Model 6



catalogue 2024 p. 234

ref. 150019000

EAN. 3663660112796

### Materials and finishes

Material	aluminium
Colour	Jet black - 000 - RAL 9005

### Logistic data

Product dimensions	H.484 L.220 P.220
Net weight	2.090 Kg
Gross weight	2.990 Kg
Package dimensions 1	H.530 L.240 P.290

### Certifications and warranties

CE	Yes
UL	No
EAC	Yes
RoHS	Yes
ENEC	No
Anti-corrosion	25 years (on Aluminium)
Technical	5 years
Electronics	5 years

# Place des Vosges 1

## Évolution

Model 7



catalogue 2024 p. 234

ref. 150021000

EAN. 3663660113007

### Technical data

Rated voltage	200 to 240 - 50/60Hz
Input voltage range	230 - 250 V AC
Driver output	-
Alimentation output	-
Class	1
IP	65
IK	-
Diffuser	Clear PMMA
Bulb cover	-
Source	E27
Color temperature real output	-
Real light output	- lm
Total consumption	- W
Energy class	Classe de la lampe (non fournie)
Luminous efficacy	-
IRC	-
SDCM	-
Optic	-
Dimmable	-
Ta	-
Led lifetime	-
Ambient temperature range	-10 ~50°C
UGR	-
ULR	-
THDI	-
Fixing kit	Yes
With sensor	No
With IP55 socket	No

[Download the installation manual](#)



# Place des Vosges 1

## Évolution

Model 7



catalogue 2024 p. 234

ref. 150021000

EAN. 3663660113007

### Materials and finishes

Material	aluminium
Colour	Jet black - 000 - RAL 9005

### Logistic data

Product dimensions	H.627 L.220 P.220
Net weight	2.580 Kg
Gross weight	3.770 Kg
Package dimensions 1	H.630 L.270 P.280

### Certifications and warranties

CE	Yes
UL	No
EAC	Yes
RoHS	Yes
ENEC	No
Anti-corrosion	25 years (on Aluminium)
Technical	5 years
Electronics	5 years