

TECHNICAL SHEET

1704-23 LARGE

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 383 lm / 345 lm

Cable RAL 7013



1704-21 MEDIUM

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 383 lm / 345 lm

Cable RAL 7013



1704-20 MINI

Mounting: Sospensione / Suspension

Environment: Indoor - IP20

Materials: Metallo / Metal

Input Current: 350 mA

Source: LED 4W - CRI=90

Color Temperature: 3000K / 2700K

Lumen: 383 lm / 345 lm

Cable RAL 7013



Rosoni / Canopies

1704-90 CANOPY TYPE B

Mounting: a soffitto / ceiling

Environment: Indoor - IP20

Materials: Metallo / Metal

Voltage: 220-240V 50/60 Hz

Lighting Control: on-off / Dimmable 0-10V / DALI / Phase cut



1704-91 CANOPY TYPE B RECESSED

Mounting: incasso / recessed

Environment: Indoor - IP20

Materials: Metallo / Metal


Voltage: 24Vdc



NOTE:

Remote driver not included

lampade installabili su piastre type B o Rosone Barra type X
lamps installable on plates type B or Bar canopy type X



Finiture / Finishes

Struttura / Structure



Nero opaco
Matt black



Oro opaco
Matt gold



Cromo lucido
Glossy chrome

Rosoni / Canopies



Metallo verniciato nero opaco
Matt black varnished metal



Metallo verniciato opaco titanio
Matt titanium varnished metal



Metallo verniciato bianco opaco
Matt white varnished metal

NOTE:

Tutti i corpi illuminanti possono essere venduti esclusivamente con i rosone singoli, con le piastre multiple o con il rosone barra.

Vale altresì il viceversa: rosone, piastre multiple e rosone barra non possono essere venduti separatamente dai pendenti.

Tutti gli apparecchi sono testati e garantiti nella loro interezza: pendente + rosone, pendente/i + piastra multipla oppure pendente/i + rosone barra.

Qualsiasi installazione non autorizzata non viene giudicata conforme.

Verificare quota H max nel disegno illustrativo.

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.

The reverse is also true: rosettes, multiple plates and bar canopies cannot be sold separately from pendants.

All fixtures are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopies.

Any unauthorized installation will not be deemed compliant.

Check max H dimension in the illustrative drawing.

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1704-20-1100-N2NE	mini suspension	nero opaco / matt black		cavo / wire 2 mt 3000K
1704-20-1100-N2WE	mini suspension	nero opaco / matt black		cavo / wire 2 mt 2700K
1704-20-1100-N4NE	mini suspension	nero opaco / matt black		cavo / wire 4 mt 3000K
1704-20-1100-N4WE	mini suspension	nero opaco / matt black		cavo / wire 4 mt 2700K
1704-20-0600-N2NE	mini suspension	oro opaco / matt gold		cavo / wire 2 mt 3000K
1704-20-0600-N2WE	mini suspension	oro opaco / matt gold		cavo / wire 2 mt 2700K
1704-20-0600-N4NE	mini suspension	oro opaco / matt gold		cavo / wire 4 mt 3000K
1704-20-0600-N4WE	mini suspension	oro opaco / matt gold		cavo / wire 4 mt 2700K
1704-20-2400-N2NE	mini suspension	cromo lucido / glossy chrome		cavo / wire 2 mt 3000K
1704-20-2400-N2WE	mini suspension	cromo lucido / glossy chrome		cavo / wire 2 mt 2700K
1704-20-2400-N4NE	mini suspension	cromo lucido / glossy chrome		cavo / wire 4 mt 3000K
1704-20-2400-N4WE	mini suspension	cromo lucido / glossy chrome		cavo / wire 4 mt 2700K
1704-21-1100-N2NE	medium suspension	nero opaco / matt black		cavo / wire 2 mt 3000K
1704-21-1100-N2WE	medium suspension	nero opaco / matt black		cavo / wire 2 mt 2700K
1704-21-1100-N4NE	medium suspension	nero opaco / matt black		cavo / wire 4 mt 3000K
1704-21-1100-N4WE	medium suspension	nero opaco / matt black		cavo / wire 4 mt 2700K
1704-21-0600-N2NE	medium suspension	oro opaco / matt gold		cavo / wire 2 mt 3000K
1704-21-0600-N2WE	medium suspension	oro opaco / matt gold		cavo / wire 2 mt 2700K
1704-21-0600-N4NE	medium suspension	oro opaco / matt gold		cavo / wire 4 mt 3000K
1704-21-0600-N4WE	medium suspension	oro opaco / matt gold		cavo / wire 4 mt 2700K
1704-21-2400-N2NE	medium suspension	cromo lucido / glossy chrome		cavo / wire 2 mt 3000K
1704-21-2400-N2WE	medium suspension	cromo lucido / glossy chrome		cavo / wire 2 mt 2700K
1704-21-2400-N4NE	medium suspension	cromo lucido / glossy chrome		cavo / wire 4 mt 3000K
1704-21-2400-N4WE	medium suspension	cromo lucido / glossy chrome		cavo / wire 4 mt 2700K
1704-23-1100-N2NE	large suspension	nero opaco / matt black		cavo / wire 2 mt 3000K
1704-23-1100-N2WE	large suspension	nero opaco / matt black		cavo / wire 2 mt 2700K
1704-23-1100-N4NE	large suspension	nero opaco / matt black		cavo / wire 4 mt 3000K
1704-23-1100-N4WE	large suspension	nero opaco / matt black		cavo / wire 4 mt 2700K
1704-23-0600-N2NE	large suspension	oro opaco / matt gold		cavo / wire 2 mt 3000K
1704-23-0600-N2WE	large suspension	oro opaco / matt gold		cavo / wire 2 mt 2700K

Storm

Bartoli Design

CODES

CODICI / CODES	MISURA / SIZE	STRUTTURA / STRUCTURE	DIFFUSORE / SHADE	DETTAGLI / DETAILS
1704-23-0600-N4NE	large suspension	oro opaco / matt gold		cavo / wire 4 mt 3000K
1704-23-0600-N4WE	large suspension	oro opaco / matt gold		cavo / wire 4 mt 2700K
1704-23-2400-N2NE	large suspension	cromo lucido / glossy chrome		cavo / wire 2 mt 3000K
1704-23-2400-N2WE	large suspension	cromo lucido / glossy chrome		cavo / wire 2 mt 2700K
1704-23-2400-N4NE	large suspension	cromo lucido / glossy chrome		cavo / wire 4 mt 3000K
1704-23-2400-N4WE	large suspension	cromo lucido / glossy chrome		cavo / wire 4 mt 2700K
1704-90-0600-NXLE	canopy type B	oro opaco / matt gold		on-off
1704-90-0600-DXLE	canopy type B	oro opaco / matt gold		dimmbale 0-10V
1704-90-0100-NXLE	canopy type B	bianco opaco / matt white		on-off
1704-90-0100-DXLE	canopy type B	bianco opaco / matt white		dimmbale 0-10V
1704-90-1100-NXLE	canopy type B	nero opaco / matt black		on-off
1704-90-1100-DXLE	canopy type B	nero opaco / matt black		dimmbale 0-10V
1704-90-0600-PXLE	canopy type B	oro opaco / matt gold		dimmbale DALI
1704-90-0100-PXLE	canopy type B	bianco opaco / matt white		dimmbale DALI
1704-90-1100-PXLE	canopy type B	nero opaco / matt black		dimmbale DALI
1704-90-0600-TXLE	canopy type B	oro opaco / matt gold		dimmbale phase cut
1704-90-0100-TXLE	canopy type B	bianco opaco / matt white		dimmbale phase cut
1704-90-1100-TXLE	canopy type B	nero opaco / matt black		dimmbale phase cut
1704-91-0100-NXLE	canopy type B recessed	bianco opaco / matt white		